

Infrared Heated Chaise Lounge Technical Specification



Discover the world's most elegant expression of "thermotherapy".
Natural Infrared Energy embodied in an artisan, marble sculpture.

Description:

- Infrared Heated Loungers Sculpture, carved out from a single Marble block on metal construction. Available in Limestone (IVOIRE), in White Statuario marble (BLANCHE), in Black Marquinia marble and in many different marbles or stones on request.
- Ergonomically designed;
- Internal radiating heat system up to 105°F/41.5°C;
- Suitable for both indoors and outdoors;
- Maintenance free;
- Unlimited use possibility thanks incorporate rollers.




Specification:

- | | |
|--|---|
| - General protection: | IP54 |
| - Temperature: | available up to 41.5°C/105°F |
| - Heated Area standard | 1 zone holohedral; |
| - Heating System Standard: | Electric space heating cables |
| - Voltage Standard System: | 220-240V/800W; 110-120V/950W |
| - Thermostat: | Digital; IP65 UL-TÜV approved |
| - Power outlet: | European Bosch standard; IP54 |
| - Lift for automatic tilting (Upgrade): | Linear actuators; UL-TÜV approved; IP65 |
| - Certifications: | UL-TÜV approved components |

M2

TAPIS.PL
ul. Wedkarska 5
93-458 Lodz
e-mail: info@tapis.pl
www.tapis.pl

Infrared Heated Chaise Lounge Technical Specification



Construction Base:
Construction Base covering:
Covering finish:
Wheels:
Weight:
Dimension:

Rustfree metal
Fibreglass
Metallic lacquer
4 Floor protective vulcanized rubber; bearing 100kg/each
235kg
length: 193cm; width 68cm; height: 84cm


TAPIS.PL
ul. Wedkarska 5
93-458 Lodz
e-mail: info@tapis.pl
www.tapis.pl

M2

TAPIS.PL
ul. Wedkarska 5
93-458 Lodz
e-mail: info@tapis.pl
www.tapis.pl

Infrared Heated Chaise Lounge Technical Specification

Technical Drawings



If fixed installation is needed could be delivered without wheels.
In this case the connection could be hidden in the base.

TAPIS.PL
ul. Wedkarska 5
93-458 Lodz
e-mail: info@tapis.pl
www.tapis.pl